

Powerful colour performance for your workgroup.

Lexmark X950 Series

Power up your office and increase productivity with the Lexmark X950 Series, featuring high-performance A3 colour functionality, flexible features, easy-to-use workflow solutions and advanced security.



Colour















Solutions













Lexmark X950 Series Key Features



Features to optimize your work



1) Intuitive colour touch screen

The extra large 25.9-cm (10.2-inch) colour touch screen allows you to operate your MFP with ease through intuitive navigation and easy access to workflow solutions and shortcuts.



2) Lexmark solutions

Reduce unnecessary printing and simplify work processes through solutions applications preloaded on your device. Choose additional Lexmark solutions to fit your unique workflow needs.



3) Direct USB

The front USB port allows for convenient walk-up preview, printing and scanning, and is compatible with most printable image file formats.



4) Flexible input capacity

Choose the configuration that best fits your needs, up to a maximum of 5,140 sheets.



5) Exceptional media handling

11 x 17 / A3



6) Advanced finishing options

Easily create professional output in-house with flexible finishing options, including multi-position stapling, hole punch, expanded output stacking and booklet capability.

Lexmark X950 Series Overview



Outstanding Colour Output

Make a lasting impression on your customers and do more printing in-house with vibrant, professional-quality output on a wide variety of media. With the advanced technology of the X950 Series, you'll get high-performance 12 x 18-inch (SRA3) multifunction capability that produces consistent color from the first page to the last.

- 1200 x 1200 print resolution for rich vibrant colours and crisp black text.
- PANTONE® calibration for consistent colour tones.
- Named Colour Replacement for easy colour matching.
- Lexmark Colour Care Technology to manage colour use and control costs.
- Create professional collateral materials ranging from saddle stitch booklets to folded brochures on media up to 11 x 17 / A3.



Productive and Intuitive

The Lexmark X950 Series combines high-performance printing, copying, scanning and faxing with time-saving workflow applications designed to boost your productivity.

- Print and copy at speeds up to 55 ppm black and 50 ppm colour, and scan at speeds up to 70 images per minute; time to first print as quick as 5.2 seconds.
- Extra large, easy to navigate 25.9 cm (10.2-inch) colour touch screen provides audible and tactile feedback to make completing tasks intuitive.
- Preloaded applications help you drive greater efficiency in your workflow.
- Scan to multiple destinations, including scan to email, scan to FTP, scan to fax, scan to network, scan to USB drive and more.
- Print Preview and Post Process Job Changes allow you to duplex, add finishing or select individual pages for printing.
- Advanced copy functions let you interrupt long print runs to make a quick copy or proof the first copy set before completing your copy job.



Built for Business

The Lexmark X950 Series features a robust print engine designed to handle the most demanding workloads with the advanced features and flexibility you need to run your business.

- Robust connectivity makes it easy to integrate into almost any network environment.
- Simplify device monitoring and administration through the embedded web server, Lexmark Universal Print Driver and Lexmark MarkVision Enterprise.
- High-capacity hard disk, 1.2 GHz processor and up to 2GB RAM.
- Inner Tray 2 is standard, allowing you to separate print, copy or fax output into two hins
- Choose from multiple input options to expand capacity up to 5,140 sheets.
- Easy-to-replace aftermarket cartridges provide yields of up to 32,000² pages black and up to 22,000² pages colour.



True. Image. Always.

Lexmark is dedicated to designing and manufacturing products that deliver exceptional quality and reliability. Maximize the return on your investment, optimize the performance of your Lexmark printing equipment and make a lasting impression by always insisting on Lexmark Genuine Supplies, Service and Parts. The X950 Series is backed by Lexmark's 1-Year Limited Warranty; extended warranty plans are also available.

Lexmark X950 Series Productivity Made Easy

The right touch

The Lexmark e-Task colour touch screen is a key access point to your MFP. The extra large customizable 25.9 cm (10.2-inch) interface gives you the ability to preview thumbnails of documents prior to printing, as well as to change print jobs at the device. You can even view, select and print specific pages within a document directly from the touch screen. Easy-to-use, intuitive navigation provides fast access to the functions, shortcuts and workflows you use most. New interactive sensory features provide both tactile and audible feedback, helping to guide you through each operation, confirming a touch has registered and indicating an action is transpiring.



Solutions

Save time and money through solutions

The Lexmark X950 Series features the Lexmark Embedded Solutions Framework, our platform that enables you to add a wide range of software applications directly onto the device. Solutions are designed with your productivity in mind, helping you streamline—or even eliminate—paper intensive business processes.

The following solutions are preloaded on the X950 Series:



Forms and Favourites

Eliminate waste and inefficiencies associated with preprinted forms. Store frequently printed forms, marketing materials or other documents online, then print them on demand.



Scan to Network

Scan a hardcopy document and route the image to one of 30 predefined personal or public shared network folders.



Change Language³

Easily switch the language displayed on the touch screen – 18 languages are supported.

The following are just a few examples of solutions available to you through Lexmark authorized partners and dealers, or through a Lexmark Professional Services engagement:



Scan to Network Premium

This enhanced version of Scan to Network offers advanced functionality to preview, modify, enhance and index scanned documents before routing them to a shared network folder.



Showroom

Display a customizable, scrolling slideshow on the colour touch screen to promote your business or products, or to communicate important messages to your customers or employees.



Card Copy

Save time and effort in copying identification cards, licences and insurance cards by automatically scanning, enlarging and printing both sides of a two-sided card on to one side of a sheet of paper.

Lexmark X950 Series Highlights

Print Less. Save More.

Print less? This may seem like a surprising message for a company dedicated solely to printing. But when you consider that businesses spend, on average, up to 6% of their turnover on printing, and that active print management can cut office print costs by up to 30%1, it makes a lot of sense. Lexmark products, solutions and services provide innovative ways to save you time, drive down costs and reduce your impact on the environment. We are committed to helping you print less and save more.









Consistent colour, every time

Produce professional documents confidently in-house knowing that the named colours of your company's brand and logo will print accurately and consistently every time. Through Lexmark Named Colour Replacement, included standard with your device, users can enter specific colour values for easy colour matching, including PANTONE® Colour and colours in the DIC Colour Guide.



Easy device management

Manage your output environment effectively with Lexmark MarkVision Enterprise. This free browser-based software gives you complete visibility into your entire fleet of network printers and MFPs regardless of manufacturer. MarkVision Enterprise makes it easy for administrators to configure, track, view, troubleshoot and proactively manage your devices throughout their lifecycle, from the moment you connect them to the network until the day you retire them.




Protecting your information

From the data travelling through your network to the pages being printed, multilayered security features and built-in capabilities help you protect your devices, documents, data and network.

- Supports a variety of user authentication and authorization controls.
- Card reader option allows users to authenticate with proximity or swipe cards.
- Advanced hard disk encryption protects sensitive data on the MFP's disk drive.
- Automatic, scheduled or manual disk wiping removes latent data.
- IPSec, SNMPv3 and 802.1x network security are supported.
- Security-audit logging tracks and identifies security risks.

Lexmark X950 Series Ordering Information

Lexmark X950de



Compatible on the complete X950 Series

Part # X950X2KG X950X2CG	Laser Toner/Print Cartridge X950, X952, X954 Black Extra High Yield Toner Cartridge X950, X952, X954 Cyan Extra High Yield Toner Cartridge	22Z0187 22Z0185 57X9000	X950, X952, X954 Card for PRESCRIBE Emulation X950, X952, X954 Forms and Bar Code Card Lexmark PrintCryption Card			
X950X2MG	X950, X952, X954 Gyan Extra High Held Toher Cartridge	Part #	Connectivity			
X950X2YG C950X71G C950X73G	X950, X952, X954 Yellow Extra High Yield Toner Cartridge C950, X95x Photoconductor Unit 1-Pack C950, X95x Photoconductor Unit 3-Pack	27X0025 14F0042 1021294	MarkNet N8250 802.11b/g/n Wireless Print Server MarkNet N8130 Fiber Ethernet 100BaseFX, 10BaseFL Print Server USB (2 Meter) Cable			
C950X76G	C950, X95X Photoconductor of the 3-rack	14F0000	Parallel 1284-B Interface Card			
25A0013	Staple Cartridges (3 pack)	14F0100	RS-232C Serial Interface Card			
21Z0357	Saddle Staple Cartridges (4 pack)	Part #	User Replaceable Parts			
Part #	Memory Options	40X7550	C950 X95x Fuser Maintenance Kit 320K 110-120V			
1025041	256MB DDR2-DRAM	40X7550 40X7568	C950, X95x Fuser Maintenance Kit, 320K, 110-120V C950, X95x Fuser Maintenance Kit, 320K, 100V			
1025041 1025042	256MB DDR2-DRAM 512MB DDR2-DRAM	40X7568 40X7569	C950, X95x Fuser Maintenance Kit, 320K, 100V C950, X95x Fuser Maintenance Kit, 320K, 220-240V			
1025041 1025042 1025043	256MB DDR2-DRAM 512MB DDR2-DRAM 1024MB DDR2-DRAM	40X7568 40X7569 40X7540	C950, X95x Fuser Maintenance Kit, 320K, 100V C950, X95x Fuser Maintenance Kit, 320K, 220-240V C950, X95x 160K Maintenance Kit			
1025041 1025042	256MB DDR2-DRAM 512MB DDR2-DRAM	40X7568 40X7569	C950, X95x Fuser Maintenance Kit, 320K, 100V C950, X95x Fuser Maintenance Kit, 320K, 220-240V	Part #	Available Models:	
1025041 1025042 1025043 14F0245 30G0287 30G0828	256MB DDR2-DRAM 512MB DDR2-DRAM 1024MB DDR2-DRAM 256MB Flash Card Arabic Fort Card Japanese Font Card	40X7568 40X7569 40X7540	C950, X95x Fuser Maintenance Kit, 320K, 100V C950, X95x Fuser Maintenance Kit, 320K, 220-240V C950, X95x 160K Maintenance Kit	Part # 2270019	Available Models: Lexmark X950de	
1025041 1025042 1025043 14F0245 30G0287	256MB DDR2-DRAM 512MB DDR2-DRAM 1024MB DDR2-DRAM 256MB Flash Card Arabic Font Card	40X7568 40X7569 40X7540	C950, X95x Fuser Maintenance Kit, 320K, 100V C950, X95x Fuser Maintenance Kit, 320K, 220-240V C950, X95x 160K Maintenance Kit			
1025041 1025042 1025043 14F0245 30G0287 30G0828	256MB DDR2-DRAM 512MB DDR2-DRAM 1024MB DDR2-DRAM 256MB Flash Card Arabic Fort Card Japanese Font Card	40X7568 40X7569 40X7540	C950, X95x Fuser Maintenance Kit, 320K, 100V C950, X95x Fuser Maintenance Kit, 320K, 220-240V C950, X95x 160K Maintenance Kit	22Z0019	Lexmark X950de	
1025041 1025042 1025043 14F0245 30G0287 30G0828 30G0825	256MB DDR2-DRAM 512MB DDR2-DRAM 1024MB DDR2-DRAM 256MB Flash Card Arabic Fort Card Japanese Font Card Korean Font Card	40X7568 40X7569 40X7540	C950, X95x Fuser Maintenance Kit, 320K, 100V C950, X95x Fuser Maintenance Kit, 320K, 220-240V C950, X95x 160K Maintenance Kit	22Z0019 22Z0020	Lexmark X950de Lexmark X952dte	



Eco-responsible printing

The X950 Series makes it easy for you to print responsibly. Features include duplex to save paper, Eco-Mode to reduce paper and toner consumption and a Sleep Button with hibernate mode to save energy. The X950 Series also helps you save energy through its instant warm-up fuser and specially designed toner, which fuses at a low temperature.

Lexmark X950 Series Ordering Information

Lexmark X950de

Part #	Model
22Z0019	Lexmark X950de
Part #	Paper Handling
22Z0014	C950, X95x 2520-Sheet Tandem Tray Module
22Z0013	C950, X95x 3x520-Sheet Drawer Stand
22Z0012	C950, X95x 520-Sheet Drawer Stand
22Z0015	C950, X95x 2000-Sheet High Capacity Feeder
22Z0016	C950, X95x 3500-Sheet Finisher (3-Hole)
22Z0017	C950, X95x Booklet Finisher (3-Hole)
22Z0175	C950, X95x 3500-Sheet Finisher (4-Hole)
22Z0176	C950, X95x Booklet Finisher (4-Hole)
Part #	Extended Warranties
2354235	X950 1-Year Onsite Service, Next Business Day

2354236 2354237 2354238 2354239	X950 2-Years Onsite Service, Next Business Day X950 3-Years Onsite Service, Next Business Day X950 4-Years Onsite Service, Next Business Day X950 1-Year Onsite Service Renewal, Next Business Day
Part #	Installation Service
2354242	X950 Install, De-Install Service

Other available models:

Lexmark X952dte: Includes: Banner media support up to 47.24-inches, print speed up to 50 ppm and three extra 520-page drawers, Part #22Z0020 Lexmark X954dhe: Includes: Banner media support up to 47.24-inches, print speed up to 55 ppm, 2GB RAM standard and extra 2,520-sheet input, Part #2270021

In the box

Lexmark X950de colour multifunction printer, Up to 11,000*-page colour (CMY) toner cartridges, Up to 16,000*-page black toner cartridge, Black, cyan, magenta, and yellow Imaging units, Software and Documentation CD, Power Cord(s), RJ-11 Phone cable or adapter (country dependent), Setup Guides (network and local attachment), Statement of limited warranty / guarantee, Lexmark Cartridge Collection Program information

*Average continuous black or continuous composite CMY declared cartridge yield up to this number of standard pages in accordance with ISO/IEC 19798.

Lexmark X952dte

Part #	Model
22Z0020	Lexmark X952dte
Part #	Paper Handling
22Z0016	C950, X95x 3500-Sheet Finisher (3-Hole)
22Z0017	C950, X95x Booklet Finisher (3-Hole)
22Z0015	C950, X95x 2000-Sheet High Capacity Feeder
22Z0175	C950, X95x 3500-Sheet Finisher (4-Hole)
22Z0176	C950, X95x Booklet Finisher (4-Hole)
Part #	Extended Warranties
2354263 2354264	X952 1-Year Onsite Service, Next Business Day X952 2-Years Onsite Service, Next Business Day

2354265	X952 3-Years Onsite Service, Next Business Day
2354266	X952 4-Years Onsite Service, Next Business Day
2354267	X952 1-Year Onsite Service Renewal, Next Business Day
2354263P	X952 2-Years Total Onsite Service, Next Business Day
2354264P	X952 3-Years Total Onsite Service, Next Business Day
2354265P	X952 4-Years Total Onsite Service, Next Business Day
2354266P	X952 5-Years Total Onsite Service, Next Business Day
2354267P	X952 1-Year Onsite Service Renewal, Next Business Day
Part #	Inetallation Service

2354270 X952 Install, De-Install Service

Other available models:

Lexmark X950de: Includes:Banner media support up to 47.24-inches and print speed up to 45 ppm, Part #2270019

Lexmark X954dhe: Includes: Banner media support up to 47.24-inches, print speed up to 55 ppm, 2GB RAM standard and extra 2,520-sheet input, Part #2270021

In the box

Lexmark X952de colour multifunction printer, 3x520-Sheet (A3) Drawer Stand, Up to 11,000*page colour (CMY) toner cartridges, Up to 16,000°-page black toner cartridge, Black, cyan, magenta, and yellow Imaging units, Software and Documentation CD, Power Cord(s), RJ-11 Phone cable or adapter (country dependent), Setup Guides (network and local attachment), Statement of limited warranty / guarantee, Lexmark Cartridge Collection Program information

*Average continuous black or continuous composite CMY declared cartridge yield up to this number of standard pages in accordance with ISO/IEC 19798.

Lexmark X954dhe

Part #	Model
22Z0021	Lexmark X954dhe
Part #	Paper Handling
22Z0016	C950, X95x 3500-Sheet Finisher (3-Hole)
22Z0017	C950, X95x Booklet Finisher (3-Hole)
22Z0015	C950, X95x 2000-Sheet High Capacity Feeder
22Z0175	C950, X95x 3500-Sheet Finisher (4-Hole)
22Z0176	C950, X95x Booklet Finisher (4-Höle)
Part #	Extended Warranties
2354291	X954 1-Year Onsite Service, Next Business Day
2354292	X954 2-Years Onsite Service, Next Business Day

2354293 2354294 2354295 2354291P 2354292P 2354293P 2354294P	X954 3 - Years Onsite Service, Next Business Day X954 4 - Years Onsite Service, Next Business Day X954 1 - Year Onsite Service, Next Business Day X954 2 - Years Total Onsite Service, Next Business Day X954 3 - Years Total Onsite Service, Next Business Day X954 4 - Years Total Onsite Service, Next Business Day X954 5 - Years Total Onsite Service, Next Business Day	
2354295P Part #	X954 1-Year Onsite Service Renewal, Next Business Day Installation Service	
235/208	V0E4 Inetall Do Inetall Corving	

Other available models:

Lexmark X950de: Includes:Banner media support up to 47.24-inches and print speed up to 45 ppm, Part #22Z0019

Lexmark X952dte: Includes: Banner media support up to 47.24-inches, print speed up to 50 ppm and three extra 520-page drawers, Part #22Z0020

Lexmark X954de colour multifunction printer, 2520-Sheet (A3/A4) High Capacity Feeder Stand, Hard Disk, Up to 11,000*-page colour (CMY) toner cartridges, Up to 16,000*-page black toner cartridge, Black, cyan, magenta, and yellow Imaging units, Software and Documentation CD, Power Cord(s), RJ-11 Phone cable or adapter (country dependent), Setup Guides (network and local attachment), Statement of limited warranty / guarantee, Lexmark Cartridge Collection Program information

*Average continuous black or continuous composite CMY declared cartridge yield up to this number of standard pages in accordance with ISO/IEC 19798.

Lexmark X950 Series Product Specifications

	Lexmark X950de	Lexmark X952dte	Lexmark X954dhe	
Printing		1		
Print Technology		Colour LED		
Print Speed (Letter, Black): Up to	45 ppm	50 ppm	55 ppm	
Print Speed (Letter, Colour): Up to	40 ppm	45 ppm	50 ppm	
Time to First Page (Black)	As fast as 5.5 seconds	As fast as 5.2 seconds	As fast as 5.0 seconds	
Time to First Page (Colour)	as fast as 7.7 seconds	as fast as 7.7 seconds	as fast as 7.2 seconds	
Print Resolution, Black	1200 x 1200 doi, 2400 Image Quality			
Print Resolution, Colour		1200 x 1200 dpi, 2400 lmage Quality		
Memory, Standard	1024 MB	1024 MB	2048 MB	
Memory, Maximum		2048 MB		
Hard Disk		Included in configuration		
Print Noise Level, Operating	52 dBA	52 dBA	53 dBA	
Noise Level, Idle		24 dBA		
Maximum Monthly Duty Cycle: Up to	200000 pages per month	225000 pages per month	250000 pages per month	
Recommended Monthly Page Volume		5000 - 33000 pages		
Supplies				
Supplies Yield	22.000²-pa	ge Colour (CMY) Toner Cartridges, 32,0002-page Black To	oner Cartridge	
Copying		go o o o o o o o o o o o o o o o o o o		
Copy Speed (Letter, Black): Up to	45 cpm	50 cpm	55 cpm	
Copy Speed (Letter, Colour): Up to	40 cpm	45 cpm	50 cpm	
Scanning				
ADF Scan		RADF (reversing Duplex)		
Scanning Resolution		600 X 600 dpi		
Reduce / Enlarge Range		25 - 400%		
Faxing		20 10070		
Modem Speed		33.6 Kbps		
Paper Handling		00.01.000		
Paper Handling Standard	500-Sheet Output Bin, Integrated Duplex, 100-Sheet Multipurpose Feeder, 520-Sheet Input Tray	500-Sheet Output Bin, Integrated Duplex, 100-Sheet Multipurpose Feeder, 520-Sheet Input Tray, 3 x 520-Sheet Drawer Stand	500-Sheet Output Bin, Integrated Duplex, 100-Sheet Multipurpose Feeder, 520-Sheet Input Tray, 2,520-Sheet Tandem Tray Module	
Paper Handling Optional	2,000-Sheet High Capacity Feeder, 3,500-Sheet Finisher, 3 x 520-Sheet Drawer Stand, Booklet Finisher, 2,520-Sheet Tandem Tray Module, 520-Sheet Drawer Stand	2,000-Sheet High Capacity Feeder, 3,500-Sheet Finisher, Booklet Finisher	2,000-Sheet High Capacity Feeder, 3,500-Sheet Finisher, Booklet Finisher	
Paper Input Capacity, Standard: Up to	620 pages 20 lb or 75 gsm bond	2180 pages 20 lb or 75 gsm bond	3140 pages 20 lb or 75 gsm bond	
Paper Input Capacity, Maximum: Up to	5140 pages 20 lb or 75 gsm bond	4180 pages 20 lb or 75 gsm bond	5140 pages 20 lb or 75 gsm bond	
ADF Paper Input Capacity: Up to		110 pages 20 lb or 75 gsm bond	·	
Media Types Supported	Card Stock, Envelones. Glo	ossy paper, Labels, Plain Paper, Transparencies, Refer to t	he Card Stock & Label Guide	
General		A Company of the Comp		
Function	Colour Convina.	Colour Faxing, Colour Printing, Colour Scanning, Colour I	Network Scanning	
Product Warranty	tologi dopyingi	1-Year Onsite Service, Next Business Day		
Product Certifications		www.lexmark.ca		
Size (in H x W x D)	30.01 x 25.20 x 26.97 in.	44.38 x 25.20 x 26.97 in.	44.38 x 25.20 x 26.97 in.	
Weight (lb.)	255.8 lb.	332.2 lb.	351.8 lb.	
Specified Operating Environment		200 Feet), Temperature: 10 to 32°C (50 to 90°F), Humidit		

Email: info@contek-office-tech.com Tel: 416-299-6139 www.contek-office-tech.com

Recommended Monthly Page Volume

Recommended Monthly Page volume
-Recommended Monthly Page Volume is a range of pages that helps customers evaluate Lexmark's product
offerings based on the average number of pages customers plan to print on the device each month. Lexmark
recommends that the number of pages per month be within the stated range for optimum device performance,
based on factors including: supplies replacement intervals, paper loading intervals, speed, and typical customer

Maximum Monthly Duty Cycle - Maximum number of pages a device could deliver in a month using a multishift operation. This metric provides a comparison of robustness in relation to other Lexmark printers and MFPs.

- Source: InfoTrends/CapVentures., «Network Document Solutions Forecast 2007-2012, Network Document Solutions Consulting Service», August, 2008
- ² Average continuous black or continuous composite CMY declared cartridge yield in accordance with ISO/IEC 19798.
- Change Language is an option during installation.
- 4 Illustration shows enlarged description of touch screen.



Trademarks

Irademarks
Lexmark and Lexmark with the diamond design are trademarks of Lexmark International, Inc., registered in the
United States and/or other countries. All other trademarks are the property of their respective owners. ENERGY
STAR® is a U.S. registered mark. Information in this document is subject to change without notice. PANTONE®
is a registered trademark of Pantone, Inc. This product features Adobe® Flash® technology. For further
information, visit http://www.adobe.com/software/flash/about/ AirPrint and the AirPrint logo are trandemarks of
Apple Inc.

